

# 等辺アングル

一般構造用圧延鋼材 SS JIS G3101(1987)

kg/本

サイズ mm		1.0	4.0	4.5	5.0	5.5	6.0	7.0	8.0	9.0	11.0	12.0
A×B	厚さ											
20×20	3	0.885	3.54	3.98	4.42	4.87						
25×25	3	1.12	4.48	5.04	5.60	6.16						
30×30	3	1.36	5.44	6.12	6.80	7.48						
	5	2.16	8.64	9.72	10.8	11.9						
40×40	3	1.83	7.32	8.24	9.15	10.1	11.0					
	5	2.95	11.8	13.3	14.8	16.2	17.7	20.6	23.6			
50×50	4	3.06	12.2	13.8	15.3	16.8	18.4	21.4	24.5	27.5		
	6	4.43	17.7	19.9	22.2	24.4	26.6	31.0	35.4	39.9	48.7	53.2
65×65	6	5.91	23.6	26.6	29.6	32.5	35.5	41.4	47.3	53.2	65.0	70.9
	8	7.66	30.6	34.5	38.3	42.1	46.0	53.6	61.3	68.9	84.3	91.9
75×75	6	6.85	27.4	30.8	34.2	37.7	41.1	48.0	54.8	61.6	75.4	82.2
	9	9.96	39.8	44.8	49.8	54.8	59.8	69.7	79.7	89.6	110	120
	12	13.0	52.0	58.5	65.0	71.5	78.0	91.0	104	117	143	156
90×90	7	9.59	38.4	43.2	48.0	52.7	57.5	67.1	76.7	86.3	105	115
	10	13.3	53.2	59.8	66.5	73.2	79.8	93.1	106	120	146	160
	13	17.0	68.0	76.5	85.0	93.5	102	119	136	153	187	204
100×100	7	10.7	42.8	48.2	53.5	58.8	64.2	74.9	85.6	96.3	118	128
	10	14.9	59.6	67.0	74.5	82.0	89.4	104	119	134	164	179
	13	19.1	76.4	86.0	95.5	105	115	134	153	172	210	229
130×130	9	17.9	71.6	80.6	89.5	98.4	107	125	143	161	197	215
	12	23.4	93.6	105	117	129	140	164	187	211	257	281
	15	28.8	115	130	144	158	173	202	230	259	317	346
150×150	12	27.3	109	123	136	150	164	191	218	246	300	328
	15	33.6	134	151	168	185	202	235	269	302	370	403
	19	41.9	168	189	210	230	251	293	335	377	461	503
200×200	15	45.3	181	204	226	249	272	317	362	408	498	544
	20	59.7	239	269	298	328	358	418	478	537	657	716
	25	73.6	294	331	368	405	442	515	589	662	810	883

切断・穴孔加工も承ります。

# 特殊アングル

一般構造用圧延鋼材 SS JIS G3101(1987)

サイズ mm		1.0	5.5	6.0	12.0
A×B	厚さ				
45×45	4	2.74	15.1	16.4	32.9
50×50	5	3.77		22.6	
	8	5.78	31.8	34.7	69.4
60×60	4	3.68	20.2	22.1	44.2
	5	4.55	25.0	27.3	54.6
	6	5.41		32.5	
70×70	6	6.38		38.3	
80×80	6	7.32		43.9	
90×90	6	8.28		49.7	99.4
120×120	8	14.7		88.2	
150×150	10	22.9		137	275
175×175	12	31.8	175	191	
	15	39.4		236	
250×250	25	93.7		562	

kg/本

# 不等辺アングル

サイズ mm		1.0	5.5	6.0	7.0	8.0	9.0	10.0	11.0	12.0
A×B	厚さ									
50×75	6	5.67	31.2	34.0	39.7	45.4	51.0	56.7	62.5	68.0
75×90	6	7.56	41.6	45.4	52.9	60.5	68.0	75.6	83.2	90.7
	9	11.0	60.5	66.0	77.0	88.0	99.0	110	121	132
75×100	7	9.32	51.3	55.9	65.2	74.6	83.9	93.2	103	112
	10	13.0	71.5	78.0	91.0	104	117	130	143	156
	13	16.5	90.8	99.0	116	132	148	165	182	198
75×125	7	10.7	58.8	64.2	74.9	85.6	96.3	107	118	128
	10	14.9	82.0	89.4	104	119	134	149	164	179
	13	19.1	105	115	134	153	172	191	210	229
90×125	10	16.1	88.6	96.6	113	129	145	161	177	193
90×150	9	16.4	90.2	98.4	115	131	148	164	180	197
	12	21.5	118	129	150	172	194	215	236	258
100×150	9	17.1	94	103	120	137	154	171	188	205
	12	22.4	123	134	157	179	202	224	246	269
	15	27.7	152	166	194	222	249	277	305	332

# チャンネル

サイズ mm	厚 さ		1.0	5.5	6.0	7.0	8.0	9.0	10.0	11.0	12.0
	A×B	t1									
40×75	5	7	6.92	38.1	41.5	48.4	55.4	62.3	69.2	76.1	83
50×100	5	7.5	9.36	51.5	56.2	65.5	74.9	84.2	93.6	103	112
65×125	6	8	13.4	73.7	80.4	93.8	107	121	134	147	161
75×150	6.5	10	18.6	102	112	130	149	167	186	205	223
	9	12.5	24.0	132	144	168	192	216	240	264	288
75×180	7	10.5	21.4	118	128	150	171	193	214	235	257
80×200	7.5	11	24.6	135	148	172	197	221	246	271	295
90×200	8	13.5	30.3	167	182	212	242	273	303	333	364
90×250	9	13	34.6	190	208	242	277	311	346	381	415
	11	14.5	40.2	221	241	281	322	362	402	442	482
90×300	9	13	38.1	210	229	267	305	343	381	419	457
	10	15.5	43.8	241	263	307	350	394	438	482	526
	12	16	48.6	267	292	340	389	437	486	535	583
100×380	10.5	16	54.6	300	327	382	436	490	545	600	654
	13	20	67.3	370	404	471	538	606	673	740	808

切断・穴孔加工も承ります。